



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

\$C9C
✓

April 28, 2004

Certificate

MAY 06 2004

of Correction

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: United States Patent for *Multi-Reel Apparatus In A Paper Machine*
Application No. 09/821,290; Filed March 29, 2001
Patent No. 6,709,549; Issued March 23, 2004
Our File 031039/205628

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent in accordance with 37 C.F.R. §1.323. This request is made in order to correct the mistakes incurred by Applicant(s).

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof, a check in the amount of \$100.00 and a postal card being enclosed in accordance with the present United States Patent and Trademark Office practice.

Respectfully submitted,


Gregory J. Carlin
Registration No. 45,607

05/03/2004 HABRHAH2 00000012 6709549

01 FC:1811

100.00 OP

GJC:mf
Enclosures
CLT01/4644136v1

MAY 06 2004

Staple
Here
Only

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,709,549 B2
DATED : March 23, 2004
INVENTOR(S) : Berglund et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Lines 28-29, "U.S. patent application Ser. No. 60/214,504" should read --U.S. patent application Ser. No. 60/214,507--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 6,709,549 B2

No. of add'l. copies
@ 30¢ per page



MAY 06 2004

Staple
Here
Only

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,709,549 B2
DATED : March 23, 2004
INVENTOR(S) : Berglund et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Lines 28-29, "U.S. patent application Ser. No. 60/214,504" should read --U.S. patent application Ser. No. 60/214,507--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO. 6,709,549 B2

No. of add'l. copies
@ 30¢ per page



MAY 06 2004